

Ourexam



H i g h e r Q u a l i t y

B e t t e r S e r v i c e !

We offer free update service for one year

[Http://www.ourexam.com](http://www.ourexam.com)

Exam : 000-434

**Title : IBM Tivoli Netcool
Performance Manager for
Wireless V9.1.2**

Version : Demo

1. Which two applications must be running before the IBM Tivoli Netcool Performance Manager for Wireless application can be started properly? (Choose two.)

- A. Mediation Service
- B. (SAP) Process Monitor
- C. Process Control Agent
- D. LDAP Directory Server
- E. DataLoad SNMP Collector

Answer: BD

2. Which component of IBM Tivoli Netcool Performance Manager for Wireless requires Perl v5.6.1?

- A. adapter
- B. gateway
- C. database
- D. report templates

Answer: B

3. When configuring multiple identical loaders, which two entries in the processes-<loader>.properties file must be changed to differentiate the new loader? (Choose two.)

- A. host
- B. name
- C. params
- D. pmgtprovider
- E. sequence number

Answer: BE

4. Once the gateway has generated and transferred the lif files, which log file indicates it was loaded successfully?

- A. \$WMCROOT/logs
- B. \$WMCROOT/admin/logs
- C. \$WMCROOT/logs/loader

D. \$WMCROOT/gways/config

Answer: C

5. Which agent controls the synchronizing of the directory server with the configured data source?

- A. DB_SYNC
- B. DS_SYNC
- C. LDAP_SYNC
- D. DICTIONARY_SYNC

Answer: C

6. Which component of the IBM Tivoli Netcool Performance Manager for Wireless system is used to connect an IBM Tivoli Netcool Performance Manager for Wireless user to the data source?

- A. xml schema
- B. WebServices Layer
- C. data source adapter
- D. Application Framework

Answer: D

7. Which software module is essential to the basic functioning of the IBM Tivoli Netcool Performance Manager for Wireless performance management solution?

- A. Adapter Layer
- B. Bulk Data Loader
- C. WebServices data source adapter
- D. Extraction, Transformation and Loading (ETL) Data Layer

Answer: D

8. What are two valid response file variables? (Choose two.)

- A. LOADER_INSTALL
- B. GATEWAYS_INSTALL
- C. DS_SCHEMA_INSTALL

- D. GATEWAYS_CONFIGURE
- E. DS_SCHEMA_CONFIGURE

Answer: BC

9. What are two valid response file variables? (Choose two.)

- A. DB_CMD_LINE
- B. SCHEMA_CMD_LINE
- C. DB_INSTALL_CMD_LINE
- D. LOADER_INSTALL_CMD_LINE
- E. SCHEMA_INSTALL_CMD_LINE

Answer: CE

10. What does the UserConfig.pm file manage?

- A. the loading of .lif files into the database
- B. the loading of .pif files into the database
- C. the post-parsing of data files to create a .lif file
- D. the post-parsing of data files to create a .pif file

Answer: C

11. Which directory is used for vendor-specific gateway files?

- A. vstart
- B. config
- C. modules
- D. gateway-framework

Answer: B

12. What is a mandatory stage within the gateway framework?

- A. Engine
- B. Aggregation
- C. Pre-Conversion

D. Data Generation

Answer: A

13. What is a mandatory stage within the gateway framework?

A. Aggregation

B. Post Parser

C. Pre-Conversion

D. Data Generation

Answer: B

14. Which database table uniquely characterizes a set of data for a particular technology and vendor?

A. lc_ruleset

B. ld_ruleset

C. lc_relations

D. ld_relations

Answer: A

15. Which database table defines the load mapping of blocks of data for a specific rule set to tables in the database?

A. lc_relations

B. ld_relations

C. lc_loadmap

D. ld_loadmap

Answer: C

16. Each subsystem of the Technology Pack architecture consists of a file or set of files to configure it.

Which xml files are required to configure the metalayer of a Technology Pack?

A. main.xml and <entity_name>.xml files

B. main.xml and relations_<techpack>.xml files

C. relations_<techpacks>.xml and <entity_name>.xml files

D. relations_<techpack>.xml and datasource_<techpack>.xml files

Answer: A

17. What does the main.xml file define?

- A. the relationship between the entity info, file type, and table definition
- B. the relationship between the module info, loader type, and field name
- C. the relationship between the entity info, table definition, and field name
- D. the relationship between the module info, table definition, and field name

Answer: D

18. What does the report template that comes with a Technology Pack contain?

- A. only datasource, entity type, and fields
- B. datasource, entity type, fields, and filtering
- C. datasource, entity type, fields, and extended function
- D. datasource, entity type, fields, and date-time selection

Answer: A

19. Under the \$WMCROOT/admin/techpacks/<TP_NAME>/<DATASOURCE_NAME>/ directory, which type of xml file is not customizable?

- A. metalayer/*.xml
- B. loadmaps/dataavailability_<*>.xml
- C. summaries/SummaryInstance.xml
- D. busyhours/BusyHourInstance.xml

Answer: A

20. Given the following sample block of lif file:

```
TYPE_290 {  
    C145A 23  
    C145B 599  
    C145C 200
```

```
BSC_NAME BACH4_1  
BTS_INDEX 20  
CELL_CI 57219  
}
```

Which table will store the value of C145A traffic counter?

- A. NC_BSC
- B. NC_CELL
- C. LC_LOADMAP
- D. ALC_CELL_INT_TAB

Answer: D