

# Ourexam



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year  
[Http://www.ourexam.com](http://www.ourexam.com)

**Exam** : **000-798**

**Title** : IBM tivoli monitoring for  
transaction perf v5.2  
implement

**Version** : DEMO

**1.Which files does the Store and Forward Agent use?**

- A.ms.jks and ma.jks
- B.key.jsk and sth.jsk
- C.key.kdb and key.sth
- D.dmzagent.jks and dmzagent.kdb

**Correct:C**

**2.Which WebSphere configuration change occurs after installing the Tivoli Monitoring for Transaction Performance (TMTP) V5.2 Management Server?**

- A.WebSphere Security is enabled.
- B.WebSphere Security is disabled.
- C.WebSphere Log Levels are increased.
- D.The patch level is upgraded to the required level.

**Correct:A**

**3.Which Tivoli Monitoring for Transaction Performance (TMTP) component monitors an end-user transaction experience that includes invoking the Java applet with user input?**

- A.STI
- B.QoS
- C.J2EE
- D.GenWin

**Correct:D**

**4.How is a Tivoli Monitoring for Transaction Performance (TMTP) Management Agent on a Windows platform uninstalled?**

- A.on the Management Agent, run \MA\\_uninst52\uninstall.sh
- B.on the Management Agent, run \MA\\_uninst52\uninstall.exe
- C.stop the Management Agent and remove the \MA subdirectory
- D.on the Tivoli Monitoring for Transaction Performance (TMTP) User Interface (UI) Console, go to Work With Agents, check the agent, and select Remove Agent

**Correct:B**

**5.What is the minimum recommended RAM memory required for the Tivoli Monitoring for Transaction Performance (TMTP) V5.2 Management Server?**

- A.1 GB
- B.2 GB
- C.4 GB
- D.500 MB

**Correct:B**

**6.When enabling Tivoli Enterprise Console (TEC) forwarding, when TEC is using a fixed port, which value should be set for ServerPort in /config/eif.conf?**

- A.the port number specified for tec\_disp\_rule\_port in .tec\_config on the TEC Server
- B.the port number specified for tec\_rcv\_agent\_port in .tec\_config on the TEC Server
- C.the port number specified for tec\_send\_agent\_port in TransPerf.baroc file on the TMTP Management Server
- D.the port number specified for tec\_rcv\_agent\_port in TransPerf.baroc on the Tivoli Monitoring for Transaction Performance (TMTP) Management Server

**Correct:B**

**7.Which Tivoli Monitoring for Transaction Performance (TMTP) V5.2 authorization role is required to deploy and configure the J2EE component?**

- A.admin
- B.stiadmin
- C.gwadmin
- D.j2eeviewer

**Correct:A**

**8.Which two statements are true about required user Authorization Roles when installing Tivoli Monitoring for Transaction Performance (TMTP) V5.2 Management Agent? (Choose two.)**

- A.In UNIX environments, DB2 admin privilege is needed.
- B.In Windows environments, DB2 sa privilege is needed.
- C.In UNIX, the user must have remote execution privilege.
- D.In UNIX environments, the user who installs the product must have root privilege.
- E.In Windows environments, the user who installs the product must have Administrator privilege.

**Correct:D E**

**9.Which two browser settings must be enabled to log on to the Tivoli Monitoring for Transaction Performance (TMTP) V5.2 Management Server User Interface (UI) using an Internet browser? (Choose two.)**

- A.accept cookies
- B.enable Javascript
- C.always expand ALT text for images
- D.enable third-party browser extensions
- E.set manual proxy configuration to point to TMTP Management Server settings

**Correct:A B**

**10.Application Response Measurement (ARM) calls are not being received on a Tivoli Monitoring for Transaction Performance (TMTP) V5.2 Management Agent. Which change is performed to best debug this problem?**

- A.Edit /log/log.conf and set tapmagent.level=DEBUG\_MAX, restart the Tivoli Transperf service
- B.Edit /log/tapmagent-logging.properties and set BWM.trc.level=DEBUG\_MAX, restart the Tivoli Transperf service
- C.Edit /config/tapmagent-logging.properties and set BWM.trc.level=DEBUG\_MAX, restart the Tivoli Transperf service
- D.Edit /config/tapmagent-logging.properties and set tapmagent.level=DEBUG\_MAX, restart the Tivoli Transperf service

**Correct:D**

**11.In a DB2 environment, which command performs the backup of the DB2 database containing the Tivoli Monitoring for Transaction Performance (TMTP) data?**

- A.db2exp
- B.db2store
- C.db2export
- D.db2backup

**Correct:D**

**12.What is the final step required to complete the deployment of the J2EE monitoring component?**

- A.reboot the Management Server platform

- B.restart the application server running on the Management Agent platform
- C.stop and then restart the WebSphere Application Server (WAS) running on the Management Server platform
- D.stop and then restart the Tivoli Monitoring for Transaction Performance (TMTP) Management Server Console

**Correct:B**

**13.Which three pieces of information are needed to install the STI recording software? (Choose three.)**

- A.host name or IP address of the Management Agent platform
- B.host name or IP address of the Management Server platform
- C.port number used by the Management Server for communication
- D.port number used by the Store and Forward platform for communication
- E.type of communication (secure or non-secure) used by the Management Agent for communication
- F.type of communication (secure or non-secure) used by the Management Server for communication

**Correct:B C F**

**14.Which file must be edited to forward events from Tivoli Monitoring for Transaction Performance (TMTP) to SNMP?**

- A.on the Management Agent, edit the event.properties file
- B.on the Management Server, edit the tmtplib.properties file
- C.on the Management Server, edit the event.properties file
- D.on the Store and Forward Agent, edit the tmtplib.properties file

**Correct:B**

**15.Which key and trust file is required to install the Tivoli Monitoring for Transaction Performance (TMTP) V5.2 Management Server in SSL Enabled mode?**

- A.ms.jks file
- B.agent.jks file
- C.server.jks file
- D.dmzagent.jks file

**Correct:A**

**16.What is the default port for SSL Agents when installing the Tivoli Monitoring for Transaction Performance (TMTP) Management Server?**

- A.80
- B.443
- C.9090
- D.9446

**Correct:D**

**17.Which two pieces of information are needed to install Tivoli Monitoring for Transaction Performance (TMTP) V5.2 prerequisite WebSphere in a UNIX environment? (Choose two.)**

- A.TMTP V5.2 media
- B.DB2 Admin User ID
- C.User ID with root privileges
- D.TMTP DB2 database name
- E.WebSphere V5.0 media (including the fix pack 5.0.1)

**Correct:C E**

**18.Which protocol provides secure communication between Tivoli Monitoring for Transaction Performance (TMTP) Management Agents and TMTP Management Servers?**

- A.JMX
- B.SSL
- C.TCP
- D.SOAP

**Correct:B**

**19.Which two installations are supported? (Choose two.)**

- A.the J2EE monitoring component deployed to the TMTP Management Server
- B.the TMTP Management Server supported by a BEA WebLogic Application Server
- C.the WebSphere Application Server (WAS) and the TMTP Management Server installed on the same platform
- D.the DB2 server and the Tivoli Monitoring for Transaction Performance (TMTP) Management Server installed on separate platforms
- E.the MicroSoft Access database and the Tivoli Monitoring for Transaction Performance (TMTP) Management Server installed on separate platforms

**Correct:C D**

**20.When installing a Store and Forward Agent, which action gives a set of Management Agents permission to access the Store and Forward Agent?**

- A.specifying the appropriate mask on install dialog
- B.listing the IP addresses that are permitted in the hosts files
- C.listing the IP addresses that are permitted in the deny.hosts files
- D.listing the IP addresses that are permitted in the allow.hosts files

**Correct:A**