

# Ourexam



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year

[Http://www.ourexam.com](http://www.ourexam.com)

**Exam : 0B0-101**

**Title : BEA8.1 Certified  
Developer:Build Solutions**

**Version : DEMO**

1. Which WebLogic technology is defined in a cluster as an "exactly-once" service?

- A. RMI
- B. JMS
- C. JNDI
- D. EJBs
- E. Servlets

Answer: B

2. You want your application to pass control to another resource. Which tag can you use to accomplish this?

- A. jsp:plugin
- B. jsp:forward
- C. jsp:include
- D. jsp:useBean
- E. jsp:fallback

Answer: B

3. To manipulate XML-defined data in an application, which tool is directly supported by Workshop?

- A. JAX-B
- B. Castor
- C. XMLBeans
- D. None of these
- E. DOM/SAX-based parsing

Answer: C

4. Web application contains a logout servlet. The servlet should call which method? (Assume that out is the output stream to the browser and session is the HttpSession .)

- A. out.clear()
- B. out.flush()

- C. session.flush()
- D. session.clear()
- E. session.invalidate()

Answer: E

5. Within a portal project, where are user-properties sets stored?

- A. None of these
- B. In the Web project
- C. In a Schema project
- D. In a Datasync project
- E. In the Web user interface project

Answer: D

6. You want your application to pass control to another resource and then return control to the calling JSP. Which tag can you use?

- A. jsp:plugin
- B. jsp:include
- C. jsp:forward
- D. jsp:useBean
- E. jsp:fallback

Answer: B

7. When Workshop generates a Session Bean, it creates a template for which method?

- A. ejbFind()
- B. None of these
- C. ejbCreate()
- D. onMessage()
- E. setMessageContext()

Answer: C

8. On a WebLogic system, you successfully deployed an application that uses a conversational Web service. You ported it to another WebLogic system, on which the application fails. There appears to be a race condition. What is most likely cause of the problem?

- A. The application was not re-built.
- B. The application was incorrectly deployed.
- C. Parts of the application were not ported to the new system.
- D. Temporary and supporting files specific to the original system were ported to the new system
- E. WebLogic Workshop must perform invocations on conversational Web services serially, and the `<ejb-concurrency-strategy>` has not been set appropriately for the persistent store.

Answer: E

9. Which statement correctly compares a Parallel node to Event Choice node?

- A. More than one branch of a Parallel node can be executed; this is not true of an Event Choice node.
- B. If the Parallel node specifies an OR join condition, there is no difference between the two node types.
- C. If the Parallel node specifies an AND join condition, there is no difference between the two node types.
- D. If the Event Choice node specifies an OR join condition, there is no difference between the two node types.
- E. A Parallel Node must have exactly two branches; an Event Choice node can have an unlimited number of branches.

Answer: A

10. Which of these is a direct result of starting a server in Production mode?

- A. Multi-processor platforms are supported.
- B. Users must be authenticated before deploying applications.
- C. Only users in the Administration Group can access the server.
- D. Applications CANNOT be deployed in exploded directory format.
- E. The administration server can be part of a WebLogic Server cluster.

Answer: B

This document was created with Win2PDF available at <http://www.win2pdf.com>.  
The unregistered version of Win2PDF is for evaluation or non-commercial use only.  
This page will not be added after purchasing Win2PDF.