

Ourexam



H i g h e r Q u a l i t y

B e t t e r S e r v i c e !

We offer free update service for one year

[Http://www.ourexam.com](http://www.ourexam.com)

Exam : 70-357

Title : Developing Mobile Apps

Version : Demo

1. Topic 1, Case Study: 1

Background

Business requirements

In this section, you will see one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem, and you must determine whether the solution meets the slated goals. Any of the solutions might solve the problem. It is also possible that none o' the solutions solve the problem.

Technical requirements


Application structure

Once you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appe.ir in the review screen.

The timeline element of the app has the following layout requirements:

- the timeline must adapt to the screen size and orientation of the device.
- The timeline size must dynamically change if the window containing the content is resized by the user.
- The user must be able to scroll through the timeline horizontally when the device is in landscape mode.
- The user must be able to scroll through the timeline vertically when the device is in portrait mode.
- The timeline must begin scrolling as soon as a scroll is detected. Scrolling must continue for a short distance after the scroll input has stopped.
- Scroll bars or panning controls must always be visible.

The following image depicts the layout for the timeline section of the app when the device is using landscape orientation:



the following image depicts the layout for the timeline section of the app when the device is using portrait orientation:



The content element of the app has the following layout requirements:

When a user selects an item on the timeline, the details for that item must display beneath or to the right of the timeline

- The content section must display one page of information. The element must be a child of the selected item in the timeline.
- Users must be able to return to a previously selected event by pressing the Back button.

The he user must be able to navigate the application using the interface below:



- The Favorite button mark the Current content to be displayed in a Favorites panel.
- The Back and Forward buttons navigate through the app selection history. Both buttons must be available on all devices.
- The Note button allows the user to manage notes about the current content.
- The app must support touch, mouse, and stylus input.
- The app layout must automatically adapt to the screen size and orientation.

Layout Requirement:

You identify the following layout requirements:

General

- All user interface (UI) elements must continuously scale when a user resizes the window.
- UI controls must be smaller and spaced closer together if there is a mouse or stylus available
- UI controls must be larger and spaced farther apart if the device supports touch and there is no mouse or pointer available

Timeline

- The timeline must be displayed in a horizontal layout when the device is in a landscape orientation or when the horizontal width is greater than the vertical height.
- The timeline must be displayed in a vertical layout when the device is in a portrait orientation or when the vertical height is greater than the horizontal width.
- Each item in the past must be linked to the next item in the future
- User must be able to scroll from past events to future events or from future events to past events.
- The app must only allow one level of detail to be linked to each item in the timeline

New Tab:

You must optimize the app using the following guidelines:

- You must minimize the time it takes to display content when an item on the timeline is selected.
- The app must respect memory and resource constraints for all devices.

XML coding style:

All code and markup must conform to the following style guidelines:

- Use resource dictionaries for styles that are used more than once.
- Limit the use of nested panels.
- Use built-in properties of existing panels instead of using separate style objects.
- Use the navigation structure that best models the data without exceeding the requirements of the app.

MainPage.xaml

Relevant portions of the app files are shown below, (line numbers in the code segments are included for reference only and include a two character prefix that denotes the specific file to which they belong.)

```

MP01 <Page
  x: Class = "_70357rm.MainPage"
  xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation"
  xmlns:x="http://schemas.microsoft.com/winfx/2006/xaml"
  xmlns:local="using:_70357rm"
  xmlns:d="http://schemas.microsoft.com/expression/blend/2008"
  xmlns:m="http://schemas.openxmlformats.org/markup-compatibility/2006"
  mc: Ignorable = "d">
MP02   <Grid Background="{ThemeResource ApplicationPageBackgroundThemeBrush }">
MP03
MP04     <RelativePanel BorderBrush = "Gray" BorderThickness = "10">
MP05       <Rectangle x:Name="A1" Fill = "Red" MinHeight="200" MinWidth = "400"
        RelativePanel.AlignLeftWithPanel = "True"
        RelativePanel.AlignTopWithPanel = "False"/>
MP06       <Rectangle x:Name = "B1" Fill="Blue" MinHeight="200" MinWidth = "400"
        RelativePanel.Below = "A1"
        RelativePanel.RightOf = ""
        RelativePanel.AlignRightWithPanel = "True"
        RelativePanel.AlignBottomWithPanel = "False"/>
MP07     </ RelativePanel>
MP08   </ Grid>
MP09 </ Page>

```

Relevant portions of the app files are shown below, (Line numbers in the code segments are included for reference only and include a two character prefix that denotes the specific file to which they belong.)

```

AS01 <Page
  x : Class = "_70357rm.Settings"
  xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation"
  xmlns : x = "http://schemas.microsoft.com/winfx/2006/xaml"
  xmlns : local = "using:_70357rm"
  xmlns : d = "http://schemas.microsoft.com/expression/blend/2008"
  xmlns : mc = "http://schemas.openxmlformats.org/markup-compatibility/2006"
  mc : Ignorable = "d">
AS02 <Grid Background = "AliceBlue">
AS03   <Border BorderBrush = "DarkBlue" BorderThickness = "5" />
AS04     <Grid Margin = "5 5 5 5">
AS05       <StackPanel HorizontalAlignment = "Center">
AS06         <TextBlock Text = "Date Settings" Foreground = "DarkBlue" FontFamily="Arial" FontSize
= "20" FontStyle = "Normal"
        FontWeight = "Bold" Margin = "0 5 0 5" HorizontalAlignment="Center"/>
AS07         <StackPanel Orientation = "Horizontal">
AS08           <CheckBox Content = "Center on Date" FontFamily = "Arial" FontSize="14" FontStyle
= "Normal" Margin = "20,0,0,0"/>
AS09           <CheckBox Content = "Set Start Date" FontFamily = "Arial" FontSize="14" FontStyle
= "Normal" Margin = "20,0,0,0"/>
AS10         </StackPanel >

```

```

AS11      <TextBlock Text ="Start Date" Foreground ="DarkBlue" FontFamily="Arial" FontSize ="20"
FontStyle ="Normal"
          FontWeight ="Bold" Margin ="0 5 0 5" HorizontalAlignment="Center"/>
AS12      <StackPanel Orientation ="Horizontal">
AS13          <TextBlock Text ="Month:" Width ="75" />
AS14          <TextBox Width ="200" />
AS15      </StackPanel >
AS16      <StackPanel Orientation ="Horizontal">
AS17          <TextBlock Text ="Day:" Width ="75" />
AS18          <TextBox Width ="200" />
AS19      </StackPanel >
AS20      <StackPanel Orientation ="Horizontal">
AS21          <TextBlock Text ="Year:" Width ="75" />
AS22          <TextBox Width ="200" />
AS23      </StackPanel >
AS24      <Ellipse Fill ="Blue" Width ="50" Height="50" Margin ="0 5 0 5"/>
AS25      <TextBlock FontFamily ="Arial" FontSize ="14" Foreground="White" Text ="Save" Margin
="127 -38 0 0"/>
AS26      </StackPanel >
AS27      </Grid >
AS28
AS29 </Grid >
AS30 </ Page >

```

Relevant portions of the app files are shown below.(Line numbers in the code segments are included for reference only and include a two-character prefix that denotes the specific file to which they belong.)

```

01 <ResourceDictionary
02     xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation"
03     xmlns:x="http://schemas.microsoft.com/winfx/2006/xaml"
04     xmlns:local="using:_70357rm">
05     <Style x:Key="fill">
06         <Setter Property="Foreground" Value="DarkBlue"/>
07     </Style>
08     <Style x:Key="text">
09         <Setter Property="FontFamily" Value="Arial" />
10     </Style>
11     <Style x:Key="big">
12         <Setter Property="FontSize" Value="20" />
13     </Style>
14     <Style x:Key="small">
15         <Setter Property="FontSize" Value="14" />
16     </Style>
17     <Style x:Key="strong">
18         <Setter Property="FontWeight" Value="Bold" />
19     </Style>
20     <Style x:Key="light">
21         <Setter Property="FontWeight" Value="Normal" />
22     </Style>
23     <Style x:Key="normal">
24         <Setter Property="FontStyle" Value="Normal" />

```



```

25 </Style>
26 <Style x:Key="pad">
27     <Setter Property="Margin" Value="0 5 0 5" />
28 </Style>
29 <Style x:Key="gap">
30     <Setter Property="Margin" Value="20 0 0 0" />
31 </Style>
32 <Style x:Key="middle">
33     <Setter Property="HorizontalAlignment" Value="Center" />
34 </Style>
35 <Style TargetType="CheckBox" x:Key="check ">
36     <Setter Property="FontFamily" Value="Arial" />
37     <Setter Property="FontSize" Value="14" />
38     <Setter Property="FontStyle" Value="Normal" />
39     <Setter Property="Margin" Value="20 0 0 0"/>
40 </Style>
41 <Style TargetType="TextBox" x:Key="heading">
42     <Setter Property="Foreground" Value="DarkBlue" />
43     <Setter Property="FontFamily" Value="Arial" />
44     <Setter Property="FontSize" Value="20" />
45     <Setter Property="FontStyle" Value="Normal" />
46     <Setter Property="FontWeight" Value="Bold" />
47     <Setter Property="Margin" Value="0 5 0 5" />
48     <Setter Property="HorizontalAlignment" Value="Center" />
49 </Style>
50 </ResourceDictionary>

```

New Tab:

Relevant portions of the app files are shown below. (Line numbers in the code segments are included for reference only and include a two-character prefix that denotes the specific file to which they belong.)

```

MX01 private void App_BackRequest( object sender, Windows.UI.Core.BackRequestedEventArgs e)
MX02 {
MX03     Frame page = Window.Current.Content as Frame;
MX04     if ( page != null)
MX05     {
MX06         if ( page.CanGoBack )
MX07         {
MX08             page.GoBack();
MX09         }
MX10     }
MX11 }

```

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains n unique solution. Determine whether the solution meets the stated goals.

You need to implement the appropriate XAML layout for the Timeline app.

Solution: You create an instance of a StackPanel class.

Does this meet the goal?

A. Yes

B. No

Answer: A

2.Note: This question is part of a series of questions that present the same scenario. Each question in the series contains n unique solution. Determine whether the solution meets the stated goals.

You need to implement the appropriate XAML layout for the Timeline app.

Solution: You create an instance of a SplitView control.

Does this meet the goal?

A. Yes

B. No

Answer: A

3.Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

You need to implement the appropriate XAML layout (for the Timeline app).

Solution: You create an instance of a RelativePanel class.

Does this meet the goal?

A. Yes

B. No

Answer: A

4.DRAG DROP

You need to create the user interface for the timeline.

Which layout markup segments should you use to develop the solution? To answer, move the appropriate markup segments from the list of markup segments to the answer area and arrange them in the correct order.

NOTE; More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Markup segments

```

<CommandBar.SecondaryCommands >
  <AppBarButton Icon ="Comment"
  Label ="Notes"
  Click="UiButton_Click"/>
</CommandBar.SecondaryCommands >
<CommandBar.Content >
  <TextBlock Text ="Navigation"
  Margin ="12,14"/>
</CommandBar.Content >

<CommandBar >

<AppBar.Tag >
<Button Content ="Comment" Click
="UiButton_Click"/>
</AppBar.Tag >
<AppBar.Content >
  <TextBlock Text ="Navigation"
  Margin ="12,14"/>
</AppBar.Content >

</CommandBar >


<Button Content ="Favorite"
Click ="UiButton_Click"/>
<TextBlock Text ="|" Margin ="0 2
0 2"/>
<Button Content ="Back" Click
="UiButton_Click"/>
<Button Content ="Forward" Click
="UiButton_Click"/>

</AppBar >

<AppBarButton Icon ="Favorite"
Label ="Favorite"
Click="UiButton_Click"/>
<AppBarSeparator />
<AppBarButton Icon ="Back" Label
="Back"
Click="UiButton_Click"/>
<AppBarButton Icon ="Forward"
Label ="Forward"
Click="UiButton_Click"/>


<AppBar >

```



Answer area

Answer:




5.HOTSPOT

You are reviewing the App_BackRequested method in the MainPage.xaml.cs file.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.



Answer:

