

# Ourexam



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year

[Http://www.ourexam.com](http://www.ourexam.com)

**Exam : C2150-612**

**Title : IBM Security QRadar SIEM  
V7.2.6 Associate Analyst**

**Version : DEMO**

1.Where can a user add a note to an offense in the user interface?

- A. Dashboard and Offenses Tab
- B. Offenses Tab and Offense Detail Window
- C. Offenses Detail Window, Dashboard, and Admin Tab
- D. Dashboard, Offenses Tab, and Offense Detail Window

**Answer: B**

**Explanation:**

Reference: IBM Security QRadar SIEM Users Guide. Page: 34

2.When might a Security Analyst want to review the payload of an event?

- A. When immediately after login, the dashboard notifies the analyst of payloads that must be investigated
- B. When "Review payload" is added to the offense description automatically by the "System: Notification" rule
- C. When the event is associated with an active offense, the payload may contain information that is not normalized or extracted fields
- D. When the event is associated with an active offense with a magnitude greater than 5, the payload should be reviewed, otherwise it is not necessary

**Answer: C**

3.Which key elements does the Report Wizard use to help create a report?

- A. Layout, Container, Content
- B. Container, Orientation, Layout
- C. Report Classification, Time, Date
- D. Pagination Option, Orientation, Date

**Answer: A**

**Explanation:**

Reference: IBM Security QRadar SIEM Users Guide. Page: 201

4.How is an event magnitude calculated?

- A. As the sum of the three properties Severity, Credibility and Relevance of the Event
- B. As the sum of the three properties Severity, Credibility and Importance of the Event
- C. As a weighted mean of the three properties Severity, Credibility and Relevance of the Event
- D. As a weighted mean of the three properties Severity, Credibility and Importance of the Event

**Answer: C**

5.What is a benefit of using a span port, mirror port, or network tap as flow sources for QRadar?

- A. These sources are marked with a current timestamp.
- B. These sources show the ASN number of the remote system.
- C. These sources show the username that generated the flow.
- D. These sources include payload for layer 7 application analysis.

**Answer: D**

**Explanation:**

Reference:

<https://www.ibm.com/developerworks/community/forums/html/topic?id=dd3861e0-f630-4a53-94c3->

b426a47b6e02