

Higher Quality

Better Service!

We offer free update service for one year Http://www.ourexam.com

Exam : C2180-276

Title: IBM Business ProcessManager Express orStandard Edition V8.0, BPMApplication Development

Version : Demo

1.A BPM application developer is developing assets at a company with the following BPM infrastructure:

A) One Process Center environment

- The BPM application developer has all security privileges required to access this environment

B) Three runtime environments- Test, Staging, and Production

- Each runtime environment is a two node, clustered environment
- They are all configured as "online" environments
- The BPM application developer has all security privileges required to access those environments

The BPM application developer has been asked to create a Saved Search in each environment using the Process Admin Console.

How many times must the BPM application developer open a Process Admin Console to make this change?

A. 1 time, since the Process Center environment's Process Admin console manages all online environments

- B. 2 times, once for the Process Center environment and once for the runtime environments
- C. 4 times, since each environment has it's own Process Admin console
- D. 7 times, since each node in each environment has its own Process Admin console

Answer: C

2.A BPM application developer is developing a BPM solution in a process application called 'Auto Loan Review Process' (ALREV).ALREV has an existing dependency on a toolkit called 'Financial Calculation Services' (FCSERV).The developer is asked to update an integration service in FCSERV and use that new service in ALREV.

What steps must the developer take to ensure that ALREV will utilize the new service created in FCSERV?

- A. 1. Update the integration service in FCSERV
- 2. Take a snapshot of FCSERV
- 3. Update the dependency of ALREV from the FCSERV toolkit
- B. 1. Update the integration service in FCSERV
- 2. Take a snapshot of FCSERV
- 3. Update dependency on FCSERV from the ALREV process application
- C. 1. Create a new integration service in ALREV
- 2. Move the new integration service from ALREV to FCSERV
- 3.Take a snapshot of FCSERV
- D. 1. Take a snapshot of FCSERV
- 2. Update the integration service in FCSERV
- 3. Update dependency on FCSERV in the ALREV process application

Answer: B

3.A BPM application developer has completed the development of a process application. The team lead has now directed the application developer to install the snapshot onto a staging server for additional testing before it is moved into production.

Assuming the default Process Server settings are in place, what minimum level of access must the developer have in order to install the snapshot onto the staging server? The application developer must have, at a minimum:

A. write access to the process application with no additional group membership.

B. write access to the process application and must be a member of the process-center-install-group as defined in the 100Custom.xml file.

C. administrative access to the process application with no additional group membership.

D. administrative access to the process application and must be a member of the

process-center-install-group as defined in the 100Custom.xml

file.

Answer: A

4.A BPM application developer has completed the development of a high profile process application and is now ready to deploy the solution into the test environment. The application developer has been told to allow one peer developer and the technical team lead to review and approve the work before it can be installed onto the test server. The application developer's manager has requested that the process of gathering these approvals be automated for auditing purposes.

What steps must the BPM application developer take in order to fulfill this requirement? The BPM application developer must:

A. enable governance on the high profile process and use wsadmin to install the process.

B. create a business process definition, inside of the high profile process application, to implement the approvals governance process.

C. ask a user with the administrative authority to create a System Governance toolkit dependency to create a process application that will be used for governance.

D. ensure that there is a task in the governance process that will allow a designated person to install the process, using Process Center, after all approvals have been received.

Answer: C

5.After deploying a snapshot onto the production server, the BPM application developer wants to have two development versions of the process application, one for the resolution of issues that needs to get fixed immediately in production and one for the development of new features.

How can the BPM application developer obtain the necessary development versions without creating a new process application?

A. Create a new snapshot for the process application.

- B. Create a clone of the snapshot installed in production.
- C. Create a new track from the snapshot installed in production.
- D. Import the snapshot installed in production into the Process Center.

Answer: C

6.A BPM application developer has built an integration service that executes SQL calls. Within this service, the BPM application developer makes use of the "SQL Execute Statement" service found within the TWSYS toolkit. Review the snapshot of the data mapping for this service. The BPM application developer wants to manage the "dataSourceName" value at runtime, instead of hardcoding the value "jdbc/BPMTEST".

✓ In	put Mappin	\$	
	Use default	tw.local.sql	🔍 🖒 sal (String)
☑	Use default		🗞 👶 parameters(List of S
☑	Use default		🔍 🗘 maxRows (Integer)
	Use default	tw.local.params	🍭 🤤 returnType (String)
	Use default	"jdbc/BPMTEST"	🔍 🖒 dataSourceName (String)

Which features of IBM Business Process Manager V8.0 will allow the BPM application developer to do this? (Choose two)

- A. environment variables
- B. auto tracked variables
- C. localization resources
- D. shared process variables
- E. exposed process variables

Answer: A,E

7.A process owner of an insurance company requests to receive an email if the amount of a loan is higher than \$50,000.

After creating the custom Key Performance Indicator (KPI) Amount (currency) and associating it to the activity, how should the BPM application developer configure the Assignment Setting to set the value of the KPI to the amount of the loan object? Uncheck "use KPI defaults", and apply the following settings.

A. Assignment Type: Select Absolute Value

Value: tw.local.loan.amount

B. Assignment Type: Select Absolute Value

Value: tw.perf.value = tw.local.loan.amount

C. Assignment Type: Select custom JavaScript

Value: tw.perf.value = tw.local.loan.amount

D. Assignment Type: Select custom JavaScript

Value: tw.local.loan.amount

Answer: D

8. The business owner of a purchasing process has requested a report that displays the total time of three activities.

What should the BPM application developer use to send the data to the Performance Data Warehouse to create this report?

A. A Timing Interval

B. A Service Level Agreement

C. Exposed Process Variables

D. Shared Business Objects

Answer: A

9.A BPM application developer needs to create custom SQL queries targeting the Business Performance

The safer , easier way to help you pass any IT exams.

Data Warehouse to satisfy a customer's reporting requirements. While browsing the system catalog of the database management system, the developer notices tables and views corresponding to the tracking groups defined in the process application.

Which database artifacts should the developer query to obtain only the actively tracked data? The BPM application developer should query the:

- A. views, because the views contains more recent data than the tables.
- B. views, because the views contain only the data resulting from the updated tracking definitions.
- C. tables, because the tables contains more recent data than the views.
- D. tables, because the tables contain only the data resulting from the updated tracking definitions.

Answer: B

10.A sales company wants to be able to report on the total amount of sales per region.

How can a BPM application developer capture this information so that the data can be reported on? (Choose two) The BPM application developer needs to use:

A. Autotracking

- B. Shared Business Object
- C. Exposed Process Value (EPV)
- D. Service Level Agreement (SLA)
- E. Custom Key Performance Indicator (KPI)

Answer: A,E