

Ourexam



H i g h e r Q u a l i t y

B e t t e r S e r v i c e !

We offer free update service for one year
[Http://www.ourexam.com](http://www.ourexam.com)

Exam : **C9050-041**

Title : Programming with IBM
Enterprise PL/I

Version : DEMO

1.What is the result, if any, of executing the following code? DCL A BIT(1) INIT('0'B); DCL B BIT(1) INIT('0'B); DCL C BIT(1) INIT('1'B); A = B ! C;

- A.The value of A is '0'B
- B.The value of A is '1'B.
- C.The value of A is unpredictable.
- D.There is no result, because the syntax is wrong.

Answer:B

2.What does BX.WOK.LOAD refer to in the following job control statement? //ACCOUNT DD DSN=BX.WOK.LOAD,DISP=SHR

- A.It is the connection between program and dataset.
- B.It is the physical dataset name.
- C.It is the logical dataset name.
- D.It is the name which must be referred to in the program.

Answer:B

3.What will be printed when the following subroutine is called for the third time? A : PROC; DCL X PIC '9' INIT(0); X = X + 1; PUT SKIP LIST ('THE VALUE OF X IS :!!X); X = X + 1; END A;

- A.THE VALUE OF X IS :1
- B.THE VALUE OF X IS :2
- C.THE VALUE OF X IS :3
- D.THE VALUE OF X IS :5

Answer:A

4.Given the following code, with what attribute should the variable EOF be declared? DO WHILE(^EOF);

- A.FIXED BIN (7)
- B.BIT (1)
- C.CHAR (1)
- D.FIXED DEC (3)

Answer:B

5.Which is the most appropriate code to turn all of the bits in A ON? DCL A BIT(8);

- A.A = 255;
- B.A = '11111111'B;
- C.A = 11111111B;
- D.A = -1;

Answer:B