

# Ourexam



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year  
[Http://www.ourexam.com](http://www.ourexam.com)

**Exam** : **HP0-921**

**Title** : Supporting the Enterprise  
Modular Library (EML)

**Version** : DEMO

**1.A customer wants to purchase a second EML 245e library. What must be ordered in addition to the EML 103e base module?**

- A.redundant power supply
- B.EML Command View License
- C.EML Secure Manager License
- D.EML capacity expansion module

**Correct:B**

**2.A customer needs a library with a minimum of 120 TB capacity and an expected compression ratio of 1:2. Which libraries most economically meet the customer's needs? (Select two.)**

- A.EML 103e with LTO3 tape drives
- B.EML 245e with LTO2 tape drives
- C.EML 245e with LTO3 tape drives
- D.EML 442e with LTO2 tape drives
- E.EML 442e with LTO3 tape drives

**Correct:C D**

**3.A customer needs a throughput of 5 TB/hr with an expected data compression ratio of 2:1. Which library best meets the customer's requirements?**

- A.EML 103e with LTO3 tape devices
- B.EML 245e with LTO 2 tape devices
- C.EML 245e with LTO 3 tape devices
- D.EML 442e with LTO 3 tape devices

**Correct:D**

**4.When completing the installation process in an EML E-Series tape library, how can you verify that the Fibre Channel links are functioning correctly?**

- A.Power cycle the tape library and check the OCP messages.
- B.Execute the fcping diagnostic utility from the management station.
- C.Issue the diaggetput command from the Command Line Interface.
- D.Disconnect and reconnect the cables and check the link indicators.

**Correct:D**

**5.Click the Exhibit button. A customer wants to use an EML E-Series library with partitioning in a Linux environment. Which backup software is suitable for this solution?**

Advanced Library Features						
DAS, DAF, and SAN Support	HP Data Protector	CA BrightStor ARCserve	EMC Legato NetWorker	IBM Tivoli Storage Manager	Symantec Backup Exec	Symantec NetBackup
<b>Enterprise Libraries</b>	<b>IMPORTANT:</b> See the <a href="#">Backup Application Details</a> page for the latest supported versions of backup software.					
ESL E-Series 2 Unit Cross Link <sup>1</sup>	✓	✓ <sup>3</sup>	✓	✓		✓
ESL E-Series 3.5 Unit Cross Link <sup>1</sup>	✓			✓		✓
ESL 9000 Multi.Unit Scalability <sup>1</sup>	✓	✓ <sup>3</sup>	✓	✓		✓
ESL Mixed Media	✓	✓ <sup>3</sup>	✓	✓	✓ <sup>4</sup>	✓
ESL Partitioning	✓	✓ <sup>3</sup>	✓	✓	✓ <sup>4</sup>	✓
EML Partitioning	✓		✓	✓	✓ <sup>4</sup>	✓

- A.Symantec NetBackup
- B.Symantec Backup Exec
- C.CA Brightstor ARCserve
- D.Syncsort Backup Express

**Correct:A**

**6.What are the main considerations when choosing a location for an EML E-Series tape library?**

**(Select three.)**

- A.floor space
- B.room height
- C.power requirements
- D.lighting requirements
- E.grounding requirements
- F.distance to disk storage

**Correct:A C E**

**7.What do you check to verify the interface controller configuration in an EML E-Series tape library? (Select three.)**

- A.host access
- B.LAN connection
- C.power redundancy
- D.robot arm movement
- E.Fibre Channel speed setting
- F.Fibre Channel connection type

**Correct:A E F**

**8.What is a consideration when using a UPS with an EML E-Series library?**

- A.The UPS power must last long enough to finish active backup jobs.
- B.The load of the UPS should not exceed eighty percent of the UPS marked electrical current rating.
- C.The UPS must be connected to the Interface Manager serial connector to allow the UPS to shut down the EML if a power failure occurs.
- D.The UPS must be connected to the Interface Controller serial connector to allow the UPS to stop the tape drives if a power failure occurs.

**Correct:B**

**9.What are the minimum requirements to use the Command View TL graphical user interface (GUI)?**

- A.interface controller and Command View TL
- B.management station and Command View TL
- C.interface controller, Command View TL, and GUI client with a supported Web browser
- D.management station, Command View TL, and GUI client with a supported Web browser

**Correct:D**

**10.Click the Exhibit button. A customer wants to use an EML103e tape library with Data Protector 5.1. The library firmware is 1070, the Interface Manager has firmware i180 and the e2400-FC 4G has firmware 5.7.1f loaded. The Command View TL version is 1.70. Using the Exhibits as a reference, what must be changed before the library can be used?**

HP StorageWorks EBS Compatibility Matrix		Index	Libraries and Applications	Backup App
		Tru64/OVMS	AIX	NetWare RAID Arrays
Backup Application Details				
HP Automation Device	HP Data Protector	CA BrightStor ARCserve	EMC Legato NetWorker	
*** Application versions listed in the below the required minimum to support the				
Enterprise Class Libraries				
ESL E-Series	5.0	9.0	6.0	
EML E-Series	5.1	9.0	7.0	
ESL 9000 Series	5.0	9.0	6.0	

- A.No changes are needed.
- B.Data Protector must be upgraded to version 6.
- C.Command View TL needs an upgrade to version 1.80.
- D.Interface Manager needs firmware i171 and the Interface Controller needs 5.7.1b.

**Correct:C**