

# Ourexam



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year  
[Http://www.ourexam.com](http://www.ourexam.com)

**Exam** : **HP5-T01D**

**Title** : Delta - Supporting HP  
Industry Standard Server  
Solutions

**Version** : DEMO

1.Where can you verify the status of an external DVD-ROM drive in a c7000 enclosure?

- A.Active Health Log
- B.Integrated Management Log
- C.Virtual SAS Manager
- D.Insight Display

**Answer: D**

2.What should be installed on a ProLiant Gen8 server to display operating system information within the iLO 4 GUI?

- A.HP Management Agents
- B.System Management Home Page
- C.Agentless Management Service
- D.ProLiant Support Pack

**Answer: B**

3.Which button should you press lo enter the RBSU during POST?

- A.F8
- B.F9
- C.F11
- D.F12

**Answer: B**

4.Which steps should you perform to save a Virtual Connect configuration?

- A.enclosure setting, configuration scripts, show config, save
- B.enclosure setting, configuration scripts, inventory
- C.from CLI: show all > cfg.txt
- D.VCM, Tools, Backup/Restore Domain Configuration

**Answer: A**

5.Why should you use an electrostatic discharge (ESD) wrist strap when replacing parts such as memory DIMMs?

- A.It prevents the part from being damaged by static electricity.
- B.It incorporates high resistance and dissipates electrical charges into the ozone.
- C.A 48 V DC PSU will contribute to higher static electricity.
- D.A current of more than 75 mA can kill someone.

**Answer: B**