

Ourexam



H i g h e r Q u a l i t y

B e t t e r S e r v i c e !

We offer free update service for one year

[Http://www.ourexam.com](http://www.ourexam.com)

Exam : NS0-121

**Title : Network Appliance Data
ONTAP Advanced Exam 7G**

Version : Demo

1. Which of the following commands allows you to display quota usage?

- A. quota on
- B. quota report
- C. quota run
- D. quota setup

Answer: B

2. Which one of the following commands would you use to set up the network interface?

- A. ifstat
- B. ping
- C. ifconfig
- D. traceroute

Answer: C

3. Please click the Exhibit button.

The screenshot shows the 'FilerView™' web interface for a NetworkAppliance. The left sidebar contains a navigation tree with options like 'Filer', 'Volumes', 'Storage', 'DFM', 'CIFS', 'Session Report', 'Configure', 'Shares', 'Report', 'Manage', 'Add', 'Statistics', 'Enable/Disable', 'Test Domain Controller', 'Look Up Name/SID', 'Auditing', 'NFS', 'HTTP', 'LUNs', and 'Network'. The main content area is titled 'Manage CIFS Shares' and includes a breadcrumb 'CIFS → Shares → Manage'. Below this is an 'Add Share' link and a table of existing shares. The table has columns for 'Share Name (Path)', 'Max. Users', 'Force Group', and 'Operations'. The shares listed are 'ETC\$ (/etc)', 'HOME (/vol/vol0/home)', 'Default Share', and 'C\$ (/)'. Each share has 'Modify', 'Delete', and 'Change Access' buttons. The status bar at the bottom shows a JavaScript command and an 'Internet' icon.

Share Name (Path)	Max. Users	Force Group	Operations
ETC\$ (/etc)			Modify Delete Change Access
HOME (/vol/vol0/home)			Modify Delete Change Access
Default Share			
C\$ (/)			Modify Delete Change Access

Which one of these methods best describes the steps for creating CIFS Shares using FilerView?

- A.CIFS -> Configure -> Options
- B.CIFS -> Shares -> Manage
- C.CIFS -> Configure -> Setup Wizard
- D.CIFS -> Shares -> Add

Answer: D

4. Which of the following items is NOT a resource for export?

- A.volume
- B.subnet
- C.directory
- D.qtree

Answer: B

5. A quota target can be defined as _____.

- A.The maximum amount of disk space in a volume
- B.The maximum number of files in a disk
- C.A user, group, or qtree to which a quota is applied
- D.A specific disk space threshold

Answer: C

6. Which TWO of the following are Data ONTAP commands for gathering performance information?

- A.sio_ntap_soll
- B.sysstat
- C.perfstat
- D.nfsstat

Answer: BD

7. When viewing sysstat output, which one of the following fields is NOT part of the total number of operations per second?

- A.CIFS
- B.FTP
- C.NFS
- D.HTTP

Answer: B

8. Which one of the following commands is NOT a good command for troubleshooting connectivity problems from the storage appliance console?

- A.ping
- B.ifstat

C.netdiag

D.iostat

Answer: D

9. QVcifsquo1Y|%&,*Which entry in this /etc/quotas file for a qtree on /vol/wmv will affect the target?

A.The last entry for the qtree.

B.The first entry for the qtree.

C.The entry related to the group.

D.The entry related to the user.

Answer: B

10. If you change the setting for the option cifs.neg_buf_size, you need to terminate CIFS on the storage appliance and do a restart for the changes to take effect.

True

False

Answer: T