

# Ourexam



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year  
[Http://www.ourexam.com](http://www.ourexam.com)

**Exam** : **NSE5\_FMG-6.0**

**Title** : Fortinet NSE 5 -  
FortiManager 6.0

**Version** : DEMO

- 1.Which of the following conditions trigger FortiManager to create a new revision history? (Choose two.)
- A. When configuration revision is reverted to previous revision in the revision history
  - B. When FortiManager installs device-level changes to a managed device
  - C. When FortiManager is auto-updated with configuration changes made directly on a managed device
  - D. When changes to device-level database is made on FortiManager

**Answer:** CD

- 2.What does the diagnose dvm check-integrity command do? (Choose two.)
- A. Internally upgrades existing ADOMs to the same ADON version in order to clean up and correct the ADOM syntax
  - B. Verifies and corrects unregistered, registered, and deleted device states
  - C. Verifies and corrects database schemas in all object tables
  - D. Verifies and corrects duplicate VDOM entries

**Answer:** BD

- 3.An administrator has assigned a global policy package to a new ADOM called ADOM1. What will happen if the administrator tries to create a new policy package in ADOM1?
- A. When creating a new policy package, the administrator can select the option to assign the global policy package to the new policy package
  - B. When a new policy package is created, the administrator needs to reapply the global policy package to ADOM1.
  - C. When a new policy package is created, the administrator must assign the global policy package from the global ADOM.
  - D. When the new policy package is created, FortiManager automatically assigns the global policy package to the new policy package.

**Answer:** D

- 4.View the following exhibit.

```
Start to import config from device(Local-FortiGate) vdom(root) to adom(My_ADOM), package(Local-Fortigate_root)
```

```
"firewall service category",SKIPPED,"(name=General,oid=697, DUPLICATE)"
```

```
"firewall address", SUCCESS,"(name=LOCAL_SUBNET,oid=684,new object)"
```

```
"firewall service custom",SUCCESS,"(name=ALL,oid=863,update previous object)"
```

```
"firewall policy",SUCCESS,"(name=1,oid-1090, new object)"
```

- Which one of the following statements is true regarding the object named ALL?
- A. FortiManager updated the object ALL using FortiGate's value in its database
  - B. FortiManager updated the object ALL using FortiManager's value in its database
  - C. FortiManager created the object ALL as a unique entity in its database, which can be only used by this managed FortiGate.
  - D. FortiManager installed the object ALL with the updated value.

**Answer:** A

5.View the following exhibit:

```
#diagnose fmupdate view-serverlist fds
Fortiguard Server Comm: Enabled
Server Override Mode: Loose
FDS server list :
Index Address          Port    TimeZone  Distance  Source
-----
*0  10.0.1.50             8890    -5        0         CLI
1   96.45.33.89           443     -5        0         FDNI
2   96.45.32.81           443     -5        0         FDNI
....
38  fds1.fortinet.com     443     -5        0         DEFAULT
```

How will FortiManager try to get updates for antivirus and IPS?

- A. From the list of configured override servers with ability to fall back to public FDN servers
- B. From the configured override server list only
- C. From the default server fds1.fortinet.com
- D. From public FDNI server with highest index number only

**Answer: A**